

**Model Technics Ltd**  
**MSDS Glow Model Engine Fuel**

Date of issue 01/01/2019

**Company Information**

Model Technics Ltd  
54 Vanguard Way  
Shoeburyness  
Essex SS3 9Q

Telephone No +44 (0)1702 292244

Fax No +44 (0)1702 298744

Email [motec@modeltechnics.com](mailto:motec@modeltechnics.com)

**Identification of the substance or mixture**

Name Model Engine Glow Fuel  
UN No UN1992 Flammable Liquid Toxic N.O.S.  
Class 3  
Packing group 11

**Hazard Identification**

**Note:-** This mixture has the predominant characteristics of methanol and the majority of the data relates to that substance. However the relevant characteristics of the other ingredients have been taken into account in preparing this data sheet.

**Classification and Label Elements**

**WARNING**

**Any glow fuel mixture which has a nitromethane concentration greater than 25% in volume is controlled under The control of explosive precursors regulations 2014. The final public user of such a fuel must satisfy the regulation requirements before purchase.**



**HIGHLY FLAMMABLE    HEALTH HAZARD    TOXIC**  
**Hazard Statements**

H225 Highly flammable liquid and vapour.  
H301+H311 Toxic if swallowed or in contact with skin.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H370 Causes damage to organs.  
H401 Toxic to aquatic life.

**Precautionary Statements**

This product should be handled in accordance with good industrial hygiene and safety practices.

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P210 Keep away from heat/sparks/open flames/hot surfaces--- No Smoking.  
P233 Keep container tightly closed.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well ventilated area.
P282	Wear protective gloves/protective clothing.
P301+P313	IF SWALLOWED: Immediately get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P307+P311	If exposed: Call Poison Centre or doctor/physician.

### **Composition and Ingredients**

Substance is a mixture of Methyl alcohol, nitromethane oil and various additives.

### **First Aid Measures**

#### **General Advice**

Consult a physician. Show this safety data sheet to the doctor in attendance, move from contaminated area.

#### **If Inhaled**

If inhalation of mists, fumes or vapour causes irritation to nose or throat or the patient is coughing, remove patient to fresh air. If symptoms persist obtain medical advice.

#### **In case of skin contact**

Wash off with soap and plenty of water.

#### **In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if pain or redness develops or persists.

#### **If swallowed**

Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician in the event of any adverse health effects.

### **Clothing**

Remove at once (remember fire risk) and launder or dry clean before re use.

### **Fire fighting measures**

#### **Suitable extinguishing media**

For small (incipient) fires, use media such dry chemical carbon dioxide or water mist. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

#### **Special protective equipment for fire-fighters**

Wear self contained breathing apparatus for fire fighting if necessary.

#### **Further information**

Use water spray to cool unopened containers.

### **Accidental release**

#### **Personal precautions**

If spillage occurs avoid prolonged or repeated skin contact. Water may be used to flush away from sources of ignition. Do not allow the product to enter public drainage system or open water courses. Spillages should be contained and covered with sand or similar inert material which should be stored in a closed container to await safe disposal in accordance with local regulations.

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### **Handling and storage**

**General:** This substance should only be stored and handled in the container supplied by the Company and the lids should be kept tightly closed at all times. The instructions of the local fire authority and your insurers must be followed. Keep containers standing upright and in a cool well ventilated space.

**Containers up to and including 5 litres capacity.**

**Bulk storage:** It is recommended that the material should be stored in a fire resistant container with a sealed base adequate to retain the contents + 10% of any of our containers which may become damaged. The bulk store should be provided with a suitable lockable closure to prevent unauthorised access or interference with the contents.

**Retail display :** The areas where this material is stored or displayed for retail sale should be carefully selected so that they are away from direct sunlight and preferably out of direct reach of customers

**Containers larger than 5 Litres capacity.**

These containers will normally be United Nations tested drums with a nominal capacity of 200 litres. The general guidelines given above apply to these containers. Before attempting to open any drum of this substance it must be properly earthed to prevent static discharges. A non-sparking tool must be used to open the drum. Vehicles such as fork lift trucks used to move drums inside a building must have protection fitted to prevent them becoming sources of ignition in the event of the contents being spilled.

**Exposure controls/Personal protection**

Wear suitable respiratory protective equipment if exposure to levels above the Occupational Exposure Limit for vapours, mist and fumes is likely. No smoking and take measures to prevent static charge build.

**Occupational exposure limits:**

There is no standard for this preparation. However we recommend that the following standards should be applied.

**Methanol in the workplace:**

LTEL 8 Hr. TWA 200ppm                      STEL 15 min. TWA 250ppm

**Nitromethane in the workplace:**

LTEL 8 Hr. TWA 100ppm                      STEL 15 min. TWA 150ppm

At the time of press no exposure limits have been found for the other components.

**Physical and chemical properties:**

Appearance	Liquid which may be any colour depending upon the lubricants/additives used in the formulation.
Odour	Characteristic of Methanol.
Flash point	>23 c

**Stability and reactivity**

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

Vapours may form explosive mixture with air

**Conditions to avoid**

Heat, flames and sparks

**Materials to avoid**

Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids.

**Hazardous reactions and decomposition products**

Thermal decomposition can produce a variety of compounds, the precise nature of which will depend on the decomposition conditions. Incomplete combustion/thermal decomposition will generate smoke, carbon oxides and hazardous gases.

**Toxicological information**

**Acute toxicity**

LD50 Oral - rat - 5,628 mg/kg

---

LC50 Inhalation - rat - 4 h - 64000 ppm

LD50 Dermal - rabbit - 15,800 mg/kg

**Skin corrosion/irritation**

Skin - rabbit - Skin irritation - 24 h

**Serious eye damage/eye irritation**

Eyes - rabbit - Eye irritation - 24 h

**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity**

no data available

**Specific target organ toxicity - single exposure (GHS)**

Causes damage to organs.

**Specific target organ toxicity - repeated exposure (GHS)**

no data available

**Aspiration hazard**

no data available

**Potential health effects**

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion Toxic if swallowed.

Skin Toxic if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation.

**Signs and Symptoms of Exposure**

Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous., Effects due to ingestion may include:, Nausea, Headache, Vomiting, Gastrointestinal disturbance Dizziness, Weakness, Confusion., Drowsiness, Unconsciousness, May cause convulsions.

**Ecological Information**

The ecological effect of this preparation will not be worse than the stated data. Methanol and the lubricants used in our bio-degrade rapidly in both saline and fresh aquatic systems. The following information is based on the known characteristics of methanol.

Toxicity LC50 (Golden Orfe ) (48 hour) > 10000mg/Lt

Toxicity EC50 (Daphnia Magna) (48 hour) > 10000mg/Lt

If the preparation enters ponds the oil content will float on the surface and may temporarily cut off the oxygen supply to aquatic life. Large quantities will have a similar effect on streams and rivers.

**Persistence and degradability**

no data available

**Bioaccumulative potential**

no data available

**Mobility in soil**

no data available

**PBT and vPvB assessment**

no data available

---

**Other adverse effects**

no data available

**Disposal considerations**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. .Contaminated packaging Dispose of as unused product.

**Transport information**

---

Classification	Flammable liquid
UN No.	1992
UN Packing Group	II
ADR/RID Class	3
ADR/RID Item No.	19 <sup>0</sup> ( b )
ADR SIN	1992
ADR Hazard Identification No.	336
ADR Label	3 + 6.1
IMDG Class	3.2
IMDG EmS	3 - 07
IMDG Stowage	B

**Other information**

Additional safety phrases required if sold to the general public.

Keep out of reach of children.

Do not use to light or relight fires or barbeques under any conditions.

Do not decant into another container other than the tank on the model.

Always store in the original container supplied.

In case of accident or if you feel unwell seek medical advice immediately (show label where possible).

This product is intended only as a fuel for glow engines used to power models of all descriptions. No responsibility can be accepted for any other use.

**Note**

The information contained in this data sheet is accurate to the best of the company's knowledge and experience. It is passed on without any warranty and no responsibility is accepted for any loss of expense arising out of its use.

The information contained in this safety data sheet is continually under review and is liable to be modified from time to time.

---